

LIMA

Rugged Input Controller

Tough · Reliable · Proven



The LIMA creates a unique interface for Liteye's 600 family of products. The unit interlocks around the 600 and offers user mouse control for handheld applications. Together the units allow for remote viewing when a standard monitor is not available or practical. It also allows for private covert viewing use.



Contact person: sales@liteye.com

The Liteye family of products is made for many industry niches. These include but are not limited to, medical, industrial and military arenas.

many different accessories packages and custom firmware builds create a large selection to fit the COTS, MOTS and other custom application.

Feel free to talk to our sales representatives to find the products to fit your needs.

Visit www.liteye.com or call 720 974 1766 (MST USA) for more information.



Innovation and Quality

LIMA

Specifications

Part Number	<i>LIMA</i>	Interface	SVGA/VGA Standard USB 1.1
Resolution	96 DPI	Shock	3 ft drop to concrete
Clock MHz	8 MHz	Immersion	1 meter 10 minutes
Operating System	XP/VISTA	Temp: Operating	-20C to +70C
		Storage	-50C to +80C
Driver	Microsoft HID		
Operation	Left/Right Click Cursor Control		
Configurations	Left/Right Hand		
Weight	75 grams		

Specification Subject to change




Innovation with Quality

Contact person: sales@liteye.com

LIMA

Dimensional Specifications



Contact person: sales@liteye.com



Innovation with Quality